

Techwell

Mixed Signal Semiconductor Solutions



LCD Display Processors



TECHWELL
DISPLAY



Features

Target Applications

- Portable TV
- Rear Seat Car Display
- Portable DVD
- Navigation + DVD
- Door Phone
- DMB TV
- In Flight Display

Features

- Integrated high performance NTSC/PAL/SECAM video decoder
- Built in high quality De-interlacing engine
- Black / white / blue stretch for higher contrast
- Favorite color enhancement
- Integrated timing controller (T-CON) with analog panel support
- QVGA panel resolution support
- Low power consumption (250 mW)
- Small form factor 64-pin PQFP

Video Decoder and Processing

- Two 9-bit ADCs and analog clamping circuit
- Fully programmable static gain or automatic gain control for the Y or CVBS channel
- Programmable white peak control for the Y or CVBS channel
- Software selectable analog inputs allows any of the following combinations:
 - Up to 4 composite video
 - Up to 1 S-Video and 3 composite
- 4-H adaptive comb filter Y/C separation
- Image enhancement with 2D dynamic peaking and CTI
- Programmable hue, brightness, saturation, contrast, sharpness, Gamma control, and noise suppression
- Detection of level of copy protection according to Macrovision standard

TW8807

LCD Controller with
Built-In Video Decoder and
TCON for analog LCD Panels

Techwell's TW8807 LCD display processor is a low cost high quality TFT panel controller with an embedded NTSC/PAL/SECAM TV decoder, scaler, de-interlacer and timing controller. It is designed to support analog panels used in video applications including portable TV, rear seat car display, and portable DVD.

The TW8807 contains all the logic required to convert standard TV signals to the digital control and data signals required to drive various TFT panel types. It supports TFT panel resolutions up to WQVGA (480x234) with 1-pixel/clock formats.

The chip accepts CVBS (composite) analog input or S-video analog input for use as a video monitor. Up to four physical CVBS inputs or one S-video input can be connected.

The integrated analog front-end contains two ADCs with two clamping circuits and one Automatic Gain Control (AGC) circuit to minimize external component count. It employs a 4H, 5-line adaptive comb filter and proprietary Y/C processing technologies to produce exceptionally high quality pictures.

The chip's internal logic synchronizes the panel frame rate to the incoming input frame rate. A high quality image-scaling engine is used to convert the lower resolution formats to the output panel resolution. An internal de-interlacing engine also allows interlaced video to be supported.

On Screen Display is supported through an on chip OSD RAM.

The TW8807 also supports TFT panel power sequencing, DPMS (VESATM Display Power Management Signaling) signaling and power management. The control interface is a 2-wire serial bus interface. The TW8807 core operates at 1.8 V, the IO at 3.3 V and is packaged in a 64-pin PQFP package.

Techwell


Mixed Signal Semiconductor Solutions

www.techwellinc.com

TW8807

LCD Controller with
Built-In Video Decoder and
TCON for analog LCD Panels

TW8807 Block Diagram



Miscellaneous

- Supports 2-wire serial bus interface
- Spread spectrum PLL
- 5V tolerant I/O
- Power-down mode
- Single 27MHz crystal
- 64-pin PQFP package

TFT Panel Support

- Supports analog LCD panels
- Supports a wide variety of active matrix TFT panels one pixel per clock
- Supports panel with resolution up to WQVGA (480x234)
- Supports 3, 4, 6 or 8 bits per pixel up to 16.8 million colors
- Supports non-linear scaling

Timing Controller (TCON)

- Support programmable interface signals for control column(source) driver / row(gate) driver
- Support analog RGB output
- Programmable VCOM output
- Dual channel charge pump output with back sensing

About Techwell

Techwell is a fabless semiconductor company that designs, markets and sells mixed signal integrated circuits for multiple digital video applications in the consumer, security surveillance and automotive markets, including advanced TVs, multifunction LCD monitors, DVD Recorders, security surveillance systems and in-car LCD displays. Founded in 1997, we currently have over 80 employees and are headquartered in San Jose, California, with additional R&D and sales activities in South Korea, Japan, Taiwan and China. NASDAQ: TWLL

Techwell

Mixed Signal Semiconductor Solutions

For more information on Techwell, please contact us at 1-408-435-3888

© 2006 Techwell Inc. All rights reserved.
All other trademarks are property of their respective owners